

**MARINE GENERATOR SPECIFICATIONS**



**KOHLER**<sup>®</sup>  
IN POWER. SINCE 1920.

Generator Model	kW*	Hz	Cylinder	RPM	Phase	Voltage		Amps	Length x Width x Height mm (in) H – Housed / U – Unhoused		Weight (Wet) kg (lb)
GASOLINE	5EKD	5	60	2	3600	1	120	41.7	H – 773 (30.4) x 500 (19.7) x 467 (18.4) U – 691 (27.2) x 466 (18.4) x 445 (17.5)	H – 132 (290) U – 120 (265)	
	4EFKD	4	50				120 / 240	20.8			
							115 / 230	17.4			
							230	17.4			
	7.5EKD	7.5	60	240	16.7						
				120	62.5	H – 773 (30.4) x 500 (19.7) x 467 (18.4) U – 691 (27.2) x 466 (18.4) x 445 (17.5)	H – 132 (290) U – 120 (265)				
				120 / 240	31.3						
	115 / 230	26.1									
	6EFKD	6	50	230	26.1						
				240	25						
				120	83.3	H – 800 (31.5) x 500 (19.7) x 467 (18.4) U – 717 (28.2) x 466 (18.4) x 445 (17.5)	H – 147 (325) U – 136 (300)				
	120 / 240	41.7									
115 / 230	34.8										
8EFKD	8	50	230	34.8							
			240	33.3							

DIESEL	6EKOD	6	60	3	1800	1	120	50	H – 780 (30.7) x 528 (20.8) x 559 (22) U – 743 (29.3) x 448 (17.6) x 536 (21.1)	H – 222 (489) U – 185 (407)
	5EFKOD	5	50				120 / 240	50 / 25		
				115 / 230	43.4 / 21.7					
				230	21.7					
	9EKOZD	8.5	60	240	20.8					
				120	70.8	H – 865 (34.1) x 528 (20.8) x 559 (22) U – 827 (32.6) x 448 (17.6) x 536 (21.1)	H – 249 (548) U – 211 (465)			
				120 / 240	70.8 / 35.4					
	115 / 230	60.8 / 30.4								
	7EFKOZD	7	50	230	30.4					
				240	29.2					
				120	91.7	H – 960 (37.8) x 528 (20.8) x 559 (22) U – 922 (36.3) x 448 (17.6) x 536 (21.1)	H – 279 (616) U – 241 (532)			
	120 / 240	91.7 / 45.8								
	115 / 230	78.3 / 39.1								
	9EFKOZD	9	50	230	39.1					
				240	37.5					
				220 / 380	20.9	H – 960 (37.8) x 528 (20.8) x 559 (22) U – 922 (36.3) x 448 (17.6) x 536 (21.1)	H – 406 (896) U – 376 (830)			
	240 / 416	19.1								
	120 / 240	33.1								
	9EFKOZD	9	50	127 / 220	36.1					
				230 / 400	16.2					
				120	117	H – 1064 (41.9) x 652.5 (25.7) x 711 (27.9) U – 984 (38.8) x 580 (22.8) x 695 (27.4)	H – 395 (870) U – 376 (830)			
	120 / 240	59								
	230	53								
	12EFKOZD	12	50	240	40					
120 / 208				49	H – 1064 (41.9) x 652.5 (25.7) x 711 (27.9) U – 984 (38.8) x 580 (22.8) x 695 (27.4)	H – 406 (896) U – 376 (830)				
120 / 240				43						
14EKOZD	14	60	120 / 240	59						
			127 / 220	46						
			139 / 240	43						
14EKOZD	14	60	277 / 480	22						
			110 / 190	46						
			115 / 230	38						
12EFKOZD	12	50	115 / 230	53						
			120 / 208	42						
			230 / 400	22						
12EFKOZD	12	50	240 / 416	21						
			220 / 380	23						
			120	134	H – 1064 (41.9) x 652.5 (25.7) x 711 (27.9) U – 1003 (39.5) x 580 (22.8) x 695 (27.4)	H – 46 (896) U – 376 (830)				
120 / 240	67									
230	59									
240	40									
16EKOZD	16	60	120 / 208	56	H – 1064 (41.9) x 652.5 (25.7) x 711 (27.9) U – 1003 (39.5) x 580 (22.8) x 695 (27.4)	H – 406 (896) U – 376 (830)				
			120 / 240	49						
			16EKOZD	16			60	120 / 240	67	
127 / 220	53									
139 / 240	49									
16EKOZD	16	60	277 / 480	25						
			110 / 190	52						
			115 / 230	43						
13.5EFKOZD	13.5	50	115 / 230	59						
			120 / 208	47						
			230 / 400	25						
13.5EFKOZD	13.5	50	240 / 416	24						
			220 / 380	26						

Generator Model	kW*	Hz	Cylinder	RPM	Phase	Voltage		Amps	Length x Width x Height mm (in) H – Housed / U – Unhoused		Weight (Wet) kg (lb)	
DIESEL	21EKOZD	21	60	4	1800	1	120	175	H – 1197 (47.1) x 652.5 (25.7) x 711 (27.9) U – 1121 (44.1) x 577.5 (22.7) x 694 (27.3)	H – 480 (1059) U – 440 (970)		
	18EFKOZD	18	50				120 / 240	88				
				230	79							
				240	61							
	21EKOZD	21	60	4	1800	3	120 / 208	73	H – 1197 (47.1) x 652.5 (25.7) x 711 (27.9) U – 1121 (44.1) x 577.5 (22.7) x 694 (27.3)	H – 480 (1059) U – 440 (970)		
							120 / 240	64				
							120 / 240	80				
							3	127 / 220			69	
								139 / 240			64	
								277 / 480			32	
	17EFKOZD	17	50	4	1500	3	110 / 190	65				
							115 / 230	54				
							1	115 / 230			70	
								3			120 / 208	58
											230 / 400	31
							24EKOZD				24	60
	220 / 380	33										
	120	200										
	20.5EFKOZD	21	50	4	1500	1	120 / 240	100				
							230	90				
							240	78				
	24EKOZD	24	60	4	1800	3	120 / 208	84				
							120 / 240	73				
							120 / 240	92				
							3	127 / 220	79			
								139 / 240	73			
								277 / 480	37			
	20.5EFKOZD	20.5	50	4	1500	3	110 / 190	78				
							115 / 230	65				
							1	115 / 230	85			
								3	120 / 208	72		
									230 / 400	37		
28EKOZD							28		60	4	1800	1
	220 / 380	39										
	120 / 240	117										
25EFOZD	25	50	4	1500	1	115 / 230	109					
						230	109					
						240	104					
28EKOZD	28	60	4	1800	3	120 / 208	97					
						120 / 240	84					
						120 / 240	117					
						3	127 / 220	92				
							139 / 240	84				
							277 / 480	42				
25EFOZD	25	50	4	1500	3	110 / 190	95					
						115 / 230	78					
						1	115 / 230	109				
							3	120 / 208	87			
								230 / 400	45			
						32EKOZD		32	60	4	1800	1
220 / 380	47											
120 / 240	133											
28EFOZD	28	50	4	1500	1	115 / 230	122					
						230	122					
						240	117					
32EKOZD	32	60	4	1800	3	120 / 208	111					
						120 / 240	96					
						120 / 240	133					
						3	127 / 220	105				
							139 / 240	96				
							277 / 480	48				
28EFOZD	28	50	4	1500	3	110 / 190	106					
						115 / 230	88					
						1	115 / 230	117				
							3	120 / 208	97			
								230 / 400	51			
						13.5EFKOZD		13.5	50	3	1500	3
220 / 380	53											

\*kW rating varies by voltage. Consult the generator spec sheet for more detail.

Generator Model	kW*	Hz	Cylinder	RPM	Phase	Voltage	Amps	Length x Width x Height mm (in)		Weight (Wet) kg (lb)			
								H - Housed / U - Unhoused / R - Radiator					
40EOZDJ	40	60	4	1800	3	120 / 208	139	H - 1633 (64.3) x 767 (30.2) x 1015 (39.9) U - 1524 (60) x 722 (28.4) x 960 (37.8) R - 1858 (73.2) x 827 (32.6) x 1265 (49.8)	H - 1025 (2260) U - 935 (2060) R - 957 (2110)*				
						120 / 240	120						
						1	120 / 240			150			
33EFOZDJ	33	50			1500	3	127 / 220			131			
							139 / 240			120			
							277 / 480			60			
40EFOZDJ	40	50	4	1500	3	110 / 190	125	H - 1633 (64.3) x 767 (30.2) x 1015 (39.9) U - 1549 (60.9) x 738 (29) x 961 (37.8) R - 1884 (74.2) x 827 (32.5) x 1265 (49.8)	H - 1080 (2380) U - 971 (2140) R - 993 (2190)*				
						110 / 220	108						
						1	115 / 230			143			
50EFOZDJ	50	50	4	1500	3	220 / 380	63			H - 1690 (66.5) x 767 (30.2) x 1015 (39.9) U - 1606 (63.2) x 738 (29) x 961 (37.8) R - 1941 (76.4) x 827 (32.5) x 1265 (49.8)	H - 1114 (2456) U - 1005 (2216) R - 1028 (2266)*		
						230 / 400	60						
						240 / 416	57						
55EOZDJ	55	60	4	1800	3	110 / 190	190	H - 1633 (64.3) x 767 (30.2) x 1015 (39.9) U - 1549 (60.9) x 738 (29) x 961 (37.8) R - 1884 (74.2) x 827 (32.5) x 1265 (49.8)	H - 1090 (2404) U - 982 (2164) R - 1004 (2214)*				
						120 / 208	191						
						120 / 240	165						
45EFOZDJ	45	50			1500	1500	3			120 / 240	221	H - 1690 (66.5) x 767 (30.2) x 1015 (39.9) U - 1606 (63.2) x 738 (29) x 961 (37.8) R - 1941 (76.4) x 827 (32.5) x 1265 (49.8)	H - 1125 (2480) U - 1016 (2240) R - 1039 (2290)*
										127 / 220	180		
										1	110 / 190		
65EOZDJ	65	60	4	1800	3	110 / 220	148	H - 1690 (66.5) x 767 (30.2) x 1015 (39.9) U - 1606 (63.2) x 738 (29) x 961 (37.8) R - 1941 (76.4) x 827 (32.5) x 1265 (49.8)	H - 1125 (2480) U - 1016 (2240) R - 1039 (2290)*				
						115 / 230	196						
						220 / 380	95						
55EFOZDJ	55	50			1500	1500	3			230 / 400	90	H - 1754 (69) x 831 (32.7) x 1032 (40.6) U - 1657 (65.2) x 753 (29.6) x 999 (39.3) R - 1992 (78.4) x 890 (35) x 1277 (50.2)	H - 1270 (2800) U - 1148 (2530) R - 1179 (2600)*
										240 / 416	87		
										120 / 208	226		
80EOZDJ	80	60	4	1800	3	120 / 240	195	H - 1829 (72) x 831 (32.7) x 1032 (40.6) U - 1732 (68.2) x 753 (29.6) x 999 (39.3) R - 2067 (81.3) x 890 (35) x 1277 (50.2)	H - 1356 (2990) U - 1243 (2740) R - 1275 (2810)*				
						120 / 240	221						
						127 / 220	213						
70EFOZDJ	70	50			1500	1500	3			139 / 240	195	H - 2205 (86.8) x 971 (38.2) x 1065 (41.9) U - 2091 (82.3) x 893 (35.2) x 1003 (39.5) R - 2498 (98) x 1129 (44.5) x 1275 (50.2)	H - 1683 (3710) U - 1515 (3340) R - 1578 (3478)
										277 / 480	83		
										110 / 190	171		
99EOZDJ	99	60	4	1800	3	110 / 220	209	H - 2205 (86.8) x 971 (38.2) x 1065 (41.9) U - 2091 (82.3) x 893 (35.2) x 1003 (39.5) R - 2498 (98) x 1129 (44.5) x 1275 (50.2)	H - 1719 (3789) U - 1551 (3419) R - 1613 (3557)				
						110 / 220	181						
						115 / 230	217						
80EFOZDJ	80	50			1500	1500	3			220 / 380	105	H - 2661 (104.8) x 1048 (41.3) x 1174 (46.2) U - 2490 (98) x 970 (38.2) x 1086 (42.8)	H - 2147 (4733) U - 2067 (4558)
										230 / 400	95		
										240 / 416	89		
125EOZDJ	125	60	6	1800	3	120 / 208	278	H - 2205 (86.8) x 971 (38.2) x 1065 (41.9) U - 2091 (82.3) x 893 (35.2) x 1003 (39.5) R - 2466 (97.1) x 1129 (44.5) x 1275 (50.2)	H - 1683 (3710) U - 1515 (3340) R - 1578 (3478)				
						120 / 240	241						
						127 / 220	262						
100EFOZDJ	100	50			1500	1500	3			139 / 240	241	H - 2205 (86.8) x 971 (38.2) x 1065 (41.9) U - 2091 (82.3) x 893 (35.2) x 1003 (39.5) R - 2498 (98) x 1129 (44.5) x 1275 (50.2)	H - 1719 (3789) U - 1551 (3419) R - 1613 (3557)
										277 / 480	120		
										110 / 190	266		
150EOZDJ	150	60	6	1800	3	110 / 220	230	H - 2661 (104.8) x 1048 (41.3) x 1174 (46.2) U - 2490 (98) x 970 (38.2) x 1086 (42.8)	H - 2147 (4733) U - 2067 (4558)				
						120 / 208	343						
						120 / 240	298						
125EFOZDJ	125	50			1500	1500	3			127 / 220	325	H - 2661 (104.8) x 1048 (41.3) x 1174 (46.2) U - 2490 (98) x 970 (38.2) x 1086 (42.8)	H - 2147 (4733) U - 2067 (4558)
										139 / 240	298		
										277 / 480	149		
200EOZDJ	200	60	6	1800	3	110 / 190	304	H - 2661 (104.8) x 1048 (41.3) x 1174 (46.2) U - 2490 (98) x 970 (38.2) x 1086 (42.8)	H - 2147 (4733) U - 2067 (4558)				
						110 / 220	262						
						220 / 380	152						
175EFOZDJ	175	50			1500	1500	3			230 / 400	144	H - 2661 (104.8) x 1048 (41.3) x 1174 (46.2) U - 2490 (98) x 970 (38.2) x 1086 (42.8)	H - 2147 (4733) U - 2067 (4558)
										240 / 416	139		
										120 / 208	520		
150EFOZDJ	150	60	1800	1800	3	120 / 240	451	H - 2661 (104.8) x 1048 (41.3) x 1174 (46.2) U - 2490 (98) x 970 (38.2) x 1086 (42.8)	H - 2147 (4733) U - 2067 (4558)				
						127 / 220	492						
						139 / 240	451						
125EOZDJ	125	50	1500	1500	3	277 / 480	226			H - 2661 (104.8) x 1048 (41.3) x 1174 (46.2) U - 2490 (98) x 970 (38.2) x 1086 (42.8)	H - 2147 (4733) U - 2067 (4558)		
						110 / 190	474						
						120 / 208	433						
200EFOZDJ	200	60	1800	1800	3	110 / 220	409	H - 2661 (104.8) x 1048 (41.3) x 1174 (46.2) U - 2490 (98) x 970 (38.2) x 1086 (42.8)	H - 2147 (4733) U - 2067 (4558)				
						220 / 380	237						
						230 / 400	225						
175EFOZDJ	175	50	1500	1500	3	240 / 416	217			H - 2661 (104.8) x 1048 (41.3) x 1174 (46.2) U - 2490 (98) x 970 (38.2) x 1086 (42.8)	H - 2147 (4733) U - 2067 (4558)		
						120 / 208	694						
						120 / 240	601						
150EFOZDJ	150	60	1800	1800	3	127 / 220	656	H - 2661 (104.8) x 1048 (41.3) x 1174 (46.2) U - 2490 (98) x 970 (38.2) x 1086 (42.8)	H - 2147 (4733) U - 2067 (4558)				
						139 / 240	601						
						277 / 480	301						
125EFOZDJ	125	50	1500	1500	3	110 / 190	665			H - 2661 (104.8) x 1048 (41.3) x 1174 (46.2) U - 2490 (98) x 970 (38.2) x 1086 (42.8)	H - 2147 (4733) U - 2067 (4558)		
						110 / 220	574						
						120 / 208	607						
200EFOZDJ	200	60	1800	1800	3	220 / 380	332	H - 2661 (104.8) x 1048 (41.3) x 1174 (46.2) U - 2490 (98) x 970 (38.2) x 1086 (42.8)	H - 2147 (4733) U - 2067 (4558)				
						230 / 400	316						
						240 / 416	304						

DIESEL

\*kW rating varies by voltage. Consult the generator spec sheet for more detail.

**AMERICAS/CARIBBEAN**  
+1 920-565-3381  
+1 800-544-2444  
Fax 920-459-1646

**CHINA**  
+86 21 26062169  
+86 400 1808 900

**EUROPE  
MIDDLE EAST  
AFRICA**  
+31 168 331630

**ASIA PACIFIC**  
+65 6264 6422  
Fax +65 6264 6455

**INDIA**  
+91 80 42867000  
+91 80 23615972

**KOHLERPOWER.COM**