

# WINCO®

## 2015

[www.wincogen.com](http://www.wincogen.com)



# Table of Contents



**Industrial  
Portable Generators  
Pages 6**



**Dyna  
Portable Generators  
Pages 12**



**Home Power  
Portable Generators  
Pages 15**



**Portable Generator  
Accessories  
Pages 17**



**Air Cooled and Liquid Cooled  
Packaged Standby Systems  
Pages 19**



**Packaged Standby  
Accessories  
Pages 23**



**WINPOWER Powr-Pak  
Generators  
Pages 25**



**Diesel  
Packaged Standby Systems  
Pages 27**



**Mobile Diesel  
Generators  
Pages 29**



**PTO Generators  
Pages 32**



**Emergn-C Series  
Generators  
Pages 37**



**2 Bearing  
Generators  
Pages 39**





Dear Friends,

I am amazed at how fast 2014 has passed by. It seems like I was just writing this letter last year. As I look into the future in anticipation of 2015 I am grateful for the opportunity you give us, at WINCO, to work with you. The dealer network helps make WINCO what it is and we recognize and appreciate your efforts.

During 2014 the engineering and production groups have spent significant time and effort working to increase the capacity of our facility. Our workforce has grown by about 10% and we have added some new equipment and capabilities to improve the quantity and quality of our production. The most impressive new machine allows us to cut all the foam for a PSS12 in less than 1.5 minutes. We will continue to invest in our business to improve capacity and quality during 2015.

There has been a fair amount of rumors in the dealer network over the last year speculating when WINCO is going to be sold to Generac. I can unequivocally say that WINCO is not for sale. We do not entertain any discussions or offers at all. I believe that WINCO is a great company and any sale or consolidation will harm our workforce, dealers and end users. I am personally committed to continuing our relationship over the long-haul.

There are many headwinds facing us during 2015. The regulations continue to pile on and the damage to the economy from ObamaCare and Dodd Frank are beginning to incur actual costs on our balance sheet. We are focused on controlling costs through smarter use of people, material and equipment and will continue to make improvements to the way we do business.

I wish you the best during 2015 and hope that your businesses and families are successful during the coming year.


Sincerely,

A handwritten signature in black ink that reads "Dan Call".

Dan Call  
President/COO


P.S. My dad is still doing the calendar. I didn't think a picture of my wife's Grand Caravan would be as popular.

**There's Power in Quality**





# INDUSTRIAL GENERATORS





## WL18000VE

- 18 kW
- B & S Vanguard engine
- Electric start
- 15 gallon fuel tank
- Six receptacles
- Warranty:  
Engine-3 yrs, Generator-2 yrs



## WL12000HE

- 12 kW
- Honda GX630 engine
- Electric start
- 15 gallon fuel tank
- Five receptacles
- Warranty:  
Engine-3 yrs, Generator-2 yrs







## WC10000VE

- 10.5 kW
- B & S Vanguard engine
- Recoil and electric start
- 7 gallon fuel tank
- Warranty:  
Engine-3 yrs, Generator-2 yrs

## W3000H

- 3 kW
- Honda GC160 engine
- Recoil start
- 2 Qt fuel tank
- 72 lbs
- Warranty: 1 yr



## W6010DE

- 6 kW
- Yanmar L100V engine
- Electric start
- 7 gallon fuel tank
- Warranty:  
Engine-2 yrs, Generator-2 yrs







## WT3000H

- 3 kW
- Honda GX160 engine
- Recoil start
- 1 gallon fuel tank
- 1 HP motor starting (Code G)
- Warranty:  
Engine-3 yrs, Generator-2 yrs

## WC5000H

- 5 kW
- Honda GX270 engine
- Recoil start
- Conserv-R idle control
- 7 gallon fuel tank
- Warranty:  
Engine-3 yrs, Generator-2 yrs





## WC6000HE


- 6 kW
- Honda GX340 engine
- Recoil and electric start
- Conserv-R idle control
- 7 gallon fuel tank
- Warranty:  
Engine-3yrs, Generator-2 yrs

### **Conserv-R (Automatic Idle Control)**

WINCO generators equipped with a Conserv-R idle down when there is no load on the generator. The lower speeds reduce noise and engine wear while improving fuel economy. As soon as the generator detects demand, the engine returns to normal operating speed. This feature is easily enabled by selecting the switch on the control panel.


### **Switchless Full Power**

Most portable generators use switches to achieve full 120V power from one receptacle. These switches fail over time and disable all 240V output from the machine. WINCO's answer to these problems is Switchless Full Power. This is standard in the WC5000H, W6010DE, WC6000H, and WC6000HE. Extra copper in the stator windings enables the operator to obtain full 120V, full 240V or a combination of both without any switches.





# DYNA






## DL5000H

- 5 kW
- Honda GX270 engine
- 7 gallon fuel tank
- Recoil start
- Consumer Warranty:  
Engine-3 yrs, Generator-2 yrs

## DL6000I

- 6 kW
- Briggs & Stratton Intek engine
- 4.5 gallon fuel tank
- Recoil start
- Consumer Warranty:  
Engine-2yrs, Generator-2 yrs





## DL6000H

- 6 kW
- Honda GX340 engine
- 7 gallon fuel tank
- Recoil start
- Warranty:  
Engine-3 yrs, Generator- 2 yrs



## DL6000HE

- 6 kW
- Honda GX340 engine
- 7 gallon fuel tank
- Electric and recoil start
- Warranty:  
Engine-3 yrs, Generator-2 yrs



# HOME POWER®

**WINCO®**  
**TRI-FUEL** ← LP GASOLINE NG

**EPA**  
**APPROVED**



## HPS6000HE

- 6 kW
- Honda GX340 engine
- 7 gallon fuel tank
- Runs on natural gas or gasoline only
- EPA approved
- Warranty:  
Engine-3 yrs, Generator-2 yrs

## HPS9000VE

- 9 kW
- B & S Vanguard engine
- 7 gallon fuel tank
- Runs on LP, natural gas, and gasoline
- EPA approved
- Warranty:  
Engine-3 yrs, Generator-2 yrs




## HPS12000HE

- 12 kW
- Honda GX630 engine
- 15 gallon fuel tank
- Runs on LP, natural gas, and gasoline
- EPA approved
- 4-wheel dolly kit standard
- Warranty:  
Engine-3 yrs, Generator-2 yrs

All HPS units are available as a packaged kit which includes the generator, generator cover, battery charger, low pressure fuel solenoid, manual transfer switch, and dolly kit.





# **PORTABLE GENERATOR ACCESSORIES**





### Two-Wheel Industrial Dolly Kit

- For 4.5-10 kW generators
- 10" diameter no-flat tires
- Durable grip handle

### Four-Wheel Industrial Dolly Kit

- For 12-18 kW generators
- 10" diameter no-flat tires
- Fold down handle



### Low Pressure Fuel Solenoid Kit (4 lbs):

- Allows Tri-Fuel and Bi-Fuel generators to run unattended
- Positive flow shut-off valve

### Generator Cover

- Large cover for 12-18 kW generators
- Small cover for 5-9 kW generators
- Made of heavy canvas
- Weather resistant



### Plug-In Line Voltage Monitor

- Plug into any 15 or 20 amp 120V straight blade receptacle to verify output voltage.



### WINCO Emergency Transfer/Service Kits:

- Allows your portable generator to be quickly and safely connected to a building electrical panel for backup service during a power outage.
- Outdoor enclosure
- Square D circuit breaker load center



### 60 amp (NEMA 14-60P) Plug



30 amp (NEMA L14-30P) Locking Plug



50 amp (CS6365C) Twist-Lock Plug

(SEE PRICE SHEETS FOR COMPATIBILITY)



**WINCO**<sup>®</sup>

PACKAGED STANDBY SYSTEM **PSS8B**

**AIR COOLED  
PACKAGED STANDBY  
SYSTEMS**



## PSS8B

- 8.4 kW LP gas/7.6 kW natural gas
- B & S Vanguard engine
- EPA/CARB Compliant
- Square D circuit breaker
- 4-Wire start/2-wire start available
- Dimensions: 36.5" x 29.75" x 27.38"
- Warranty: 1 year/1000 hrs



## PSS12H

- 12 kW LP gas/10 kW natural gas
- Honda GX690 engine
- EPA/CARB Compliant
- Square D circuit breaker
- 4-Wire start/2-wire start available
- Dimensions: 40.69" x 31.75" x 30.88"
- Warranty: 1 year/1000 hrs

## PSS20B

- 17 kW LP gas/15 kW natural gas
- B & S Vanguard engine
- EPA/CARB Compliant
- Square D circuit breaker
- 4-Wire start/2-wire start available
- Dimensions: 54.88" x 36.5" x 37.75"
- Warranty: 1 year/1000 hrs



All housing is made of galvanealed steel that conforms to NFPA non-combustible standards. The units feature our Sure-Flo three air chamber design for cooler running temps and reduced heat-soak.





**WINGO**®

**LIQUID COOLED  
PACKAGED STANDBY  
SYSTEMS**

## PSS21-PSS90

- 21 kW - 90 kW
- GM industrial engines
- Stamford generator end
- Deep Sea 7310 Digital Controllers
- EPA/CARB Compliant
- Warranty: 1 year/1000 hrs



PSS30



GR150

- 150 kW
- PSI
- Stamford generator end
- Deep Sea 7310 Digital Controllers
- EPA Compliant
- Warranty: 1 year/1000 hrs



# STANDBY ACCESSORIES





### Vapor Fuel Strainer

- Prevents troublesome contamination that can enter your fuel system from various sources

### Battery Heater

- Keeps batteries from freezing in cold environments
- Improves life and performance



### 2-Wire Start Module

- For Air-Cooled PSS units
- Compatible with ASCO 185 and 300 Series transfer switches

### Engine Heater

- Ensures quick starting in cold environments




## TRANSFER SWITCHES



**ASCO 165 Series**




**ASCO 185 Series**



**ASCO 300 Series**





# **WINPOWER**

## **Powr-Pak®**

PTER

DA  
DB  
DC  
BA  
DC  
DD  
DF

1

HEAT




## DE20 - DE90

- 20 kW - 90 kW
- Isuzu and FPT engines
- Stamford generator end
- Key start with engine preheat
- Standard safety features/shutdowns:
  - Low oil shutdown
  - Over temperature
  - Over speed
- 1800 RPM
- Compact base design
- Exceptional trailer mounted unit
- Warranty: 1 yr/1000 hrs

## OPTIONAL ACCESSORIES

- DSE4510 digital controller
- Block heater
- Battery charger
- Fuel tank



DE45





**WINPOWER®**  
**WINPOWER**

**WINPOWER**  
**WINPOWER**  
**DIESEL STANDBY**



### DR6-DR350

- 6kW - 350kW
- Isuzu and FPT engines  
Tier III and Tier IV Interim
- Deep Sea controller, block heater, and battery charger included
- Open skid with housing option
- Optional DOT Trailer with integrated fuel tank
- NFPA 110 Level 1 Package available
- Warranty: 1yr/1000 hrs

DR12 shown with optional trailer



A yellow and grey Winco mobile diesel generator is mounted on the back of a truck. The generator has a control panel at the top with a digital display and buttons. Below the panel is the 'WINCO' logo. At the bottom, there are four circular outlets labeled REC-1, REC-2, REC-3, and REC-4, and a larger white outlet labeled 'SHORE POWER'. The truck's rear bumper and taillights are visible at the bottom.

**WINCO®**

# **MOBILE DIESEL GENERATORS**

## RP25-RP80


- 20kW - 65kW
- Isuzu and FPT engines
- Switchable 4-position voltage selector switch
- Deep Sea and Basler digital controllers
- DOT approved trailer and fuel tanks
- Two-wire remote start capability
- Warranty: Engine-2 yrs, Unit-1 yr




## DX90-DX350

- 67kW - 350kW
- FPT Tier III Engines
- Switchable voltage
- DOT approved trailer and fuel tanks
- Over-current protection
- DSE7310 digital controller
- Warranty: 1 yr/1000 hrs





# **POWER TAKE-OFF GENERATORS**

The background of the advertisement is a close-up, slightly blurred photograph of a power take-off (PTO) generator. The main focus is a grey, rectangular metal housing with a yellow-painted top edge. A circular access point with a black cap and a white, gear-like center is visible on the front panel. To the right, a larger, circular, ribbed component, likely the generator's cooling fan or flywheel, is partially visible. The overall image has a professional, industrial feel.

**Largest PTO Manufacturer in America**



BREATHER  
VENT



W10PTOS




W15PTOS



25PTOC-3



35PTOC-3



50PTO-3

# SINGLE PHASE

## W10PTOS - W150FPTOS

- 10kW - 100kW
- 100% copper wiring
- Square D circuit breakers
- Protective PTO shield
- Class H insulation
- Maintenance-free bearings
- Helical gears for smooth operation
- Ground lugs
- Lifting eye
- Voltmeter or frequency meter
- Warranty:
  - 10 & 15 kW: 1 yr
  - 85, 100 & 150 kW: 2 yrs
  - 25, 35 & 50 kW: 3 yrs



W100FPTOS



40FPTOC



45FPTOC




75FPTOC

# 3-PHASE

## 40PTOC - W165FPTOT

- 40kW - 165kW
- 100% copper wiring
- Square D circuit breakers
- Protective PTO shield
- Class H insulation
- Maintenance-free bearings
- Helical gears for smooth operation
- Ground lugs
- Full power receptacle and plug
- Lifting eye
- Voltmeter or frequency meter
- Warranty:
  - 40, 45 & 75 kW: 3 yrs
  - 105 - 165 kW: 2 yrs



W120FPTOT



# PTO ACCESSORIES






### Spline Adapter

- For use with the 25PTO only
- Converts 1 1/8" keyed shaft to 1 3/8" spline
- Required for Three-Point Hitch Kit

### PTO Trailer

- 2-wheel, off-road
- Provides portability to get power to different locations



### Three Point Hitch Kit

- Designed for 10kW-25kW models
- PTO shaft included
- Provides portability to get power to different locations

### Anderson Plug

- Low resistance connection
- Self securing design
- Genderless housing



### PTO Shaft

- 540 or 1000 operating speed
- Designed for agricultural machinery

## SQUARE D TRANSFER SWITCHES



100 Amp 2-pole



200 Amp 2-pole




100 Amp 3-pole




200 Amp 3-pole






**Emergen-C Series**




EC2200VE



EC6010DR

## Vehicle Mounted Generators

- 5.5kW - 19kW
- Yanmar or Briggs & Stratton Vanguard engines
- Low oil shutdown
- Brushless design
- Warranty:
  - EC6010-Engine 2 yrs, Generator 2 yrs
  - EC18000VE/EC22000VE- Engine 3 yrs, Generator 2 yrs




EC2510

## Vehicle Mounted PTO Generators

- 25kW - 75kW
- Ability to rotate in either direction
- Single or 3 Phase units
- Warranty: 1 year






**2-BEARING  
GENERATORS**



2FS2MP



8KS2GC



TB2400



TB4000



TB7200

## 2-Bearing Generators Brush Design

- 2kW & 8kW
- Ability to rotate in either direction
- Perfect for OEM use
- Sealed maintenance free bearings
- Heavy sealed outer shell
- Compact design
- Warranty: 1 year

## 2-Bearing Generators Brushless Design

- 2.4kW - 7.2kW
- Ability to rotate in either direction
- Perfect for OEM use
- Double sealed permanent bearings
- Cast iron drive side end bracket
- Compact design
- 1.125" shaft diameter
- Warranty: 1 year





225 S. Cordova Ave. Le Center, MN 56057

Sales: 800-733-2112 Service: 507-357-6831 Fax: 507-357-4857

[www.wincogen.com](http://www.wincogen.com)

